## Incorporation of Electrical Systems Models into an Existing Thermodynamic Cycle Code

Josh Freeh
Aeropropulsion Systems Analysis Office
NASA Glenn Research Center
October 9, 2002

Extracted from SAE Power Systems 2002
Conference Presentation





#### **Overview**

- Background
  - NPSS the existing thermodynamic code
  - · NASA electrical systems modeling
- Incorporation of electrical systems models into NPSS
- · Basic inputs and outputs
- Sample results
- · Limitations of the codes
- Future plans and possible analyses
- References
- Contact information

2002-01-3257

#### **NASA Electrical Systems Modeling**

#### High-altitude, long-endurance aircraft power and propulsion

- Colozza, Anthony J., Effect of power system technology and mission requirements on high altitude long endurance aircraft, NASA CR-194455
- An analysis that determined how various power system components and mission requirements affect the sizing of a solar and regenerative fuel cellpowered long endurance aircraft

#### Planetary science aircraft power and propulsion

- Colozza, Anthony J., Miller, Christopher J., Reed, Brian D., Kohout, Lisa L., and Loyselle, Patricia L., Overview of Propulsion Systems for a Mars Aircraft, NASA TM-2001-210575
- An exploration of Mars aircraft propulsion systems with an emphasis on the constraints of the Martian atmosphere

#### High-altitude stationkeeping airship power and propulsion

 Ongoing studies addressing different missions and concepts including earth science, communications, and surveillance

2002-01-3257

2002 CISO Review

#### **NASA Electrical Systems Modeling**

#### Flywheel electrical power storage

AFROSDACE

- Truong, Long V., Wolff, Frederick J., and Dravid, Narayan V., Simulation of a Flywheel Electrical System for Aerospace Applications, NASA TM-2000-210242
- A flywheel electrical system model was developed as a replacement for the battery system of the International Space Station
- Model included a permanent magnet synchronous motor/generator, power electronics, system controller and the flywheel

#### General aviation power and propulsion

- NASA FY02 internal study of the feasibility of fuel cell-powered general aviation aircraft and the technology improvements required for the application
- Larger 50 and 100-place aircraft were also analyzed at a lower level of fidelity to determine scalability of systems

#### Fuel cell Auxiliary Power Units (APUs) for commercial aircraft

Current NASA contract with Boeing to study the replacement of the current gas turbine aircraft APU with a fuel cell-powered APU on future commercial aircraft

2002-01-3257

#### Why NPSS?

- Integration of entire system
  - Fuel cells, motors, propulsors, thermal/power management, compressors, etc.
- Use of existing, pre-developed NPSS capabilities
  - Optimization tools
  - Gas turbine models for hybrid systems
  - Increased interplay between subsystems
  - Off-design modeling capabilities
  - Altitude effects
  - Existing transient modeling architecture
- Easier transfer between users and groups of users
- General aerospace industry acceptance and familiarity
- Flexible analysis tool that can also be used for ground power applications

2002-01-3257

2002 CISO Review

#### **Basic I/O: Gas Turbines**

- Inputs
  - Mach no. and altitude are main input for cycle deck
  - Design point conditions such as compressor design pressure ratio and speed
  - Primary performance data for components are typically input in a performance map or table
  - Other correlations from experimental data, CFD, etc.
- Outputs
  - Thrust, fuel and air flow, power, node thermodynamic data such as pressures, temperatures
  - Outputs are typically organized in a form that is readable for airframe sizing codes



2002-01-3257

#### **Basic I/O: Electrical Systems**

- Inputs
  - Design point conditions such as fuel cell current density, motor rotational speed
  - Any performance data or correlations such as motor power/speed/efficiency map or fuel cell polarization curve
  - Fuel and airflow characteristics
- Outputs
  - Power, fuel and air flow, physical requirements for the fuel cells, node thermodynamic data such as pressures, temperatures
- Data is transferred to and from gas turbine components depending on the system design



2002-01-3257

2002 CISO Review


#### Sample results

- NASA ZeroCO<sub>2</sub> Project (FY02)
  - First application of the integrated thermodynamic cycle analysis/electrical systems model
  - The objective was to determine the feasibility of electrically-powered flight and identify the technology required for success
  - Two general aviation airplanes were chosen as baseline airframes and electrical systems were developed and analyzed within those systems
  - Larger airplanes were included at a lower fidelity to provide further insight into scalability
  - A summary paper and presentation were prepared as the final deliverables



2002-01-3257

#### **ZeroCO<sub>2</sub> Model Organization**




- Model can evaluate altitude and Mach Number effects on entire system
- For example:
  - High altitude, low Mach Number
    - More compressor power required for constant fuel cell inlet pressure
      - Therefore, less fuel cell power available for propeller motor 2002-01-3257
        - And less propeller thrust

2002 CISO Review

### AEROSPACE

#### **ZeroCO<sub>2</sub> Results**



\* Reference

2002-01-3257



#### **ZeroCO<sub>2</sub> Results**

# Motor efficiency map vs. power and speed from Unique Mobility data The map was coded into NPSS and provided a more accurate efficiency value over off-design conditions | 105000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 90000-| 9



\* Reference

3

2002-01-3257

2002 CISO Review

#### **ZeroCO<sub>2</sub> Results**

#### MCR01 ULM Fuel Cell Conversion Payload-Range Assessment (Rotax and Current Technology Fuel Cell Engines) Concessions Made for Fuel Cell Installation: Rotax 912 Baseline Reduced power propulsion system relative to Rotax 912. PEM with LH2 Reduced payload / pilot Payload 200 PEM with GH2 baggage. **9** 150 Reduced cruise speed and PEM/Battery Hybrid with LH2 <u>₹</u> 100 altitude. FAR23.25 170 lb Pilot But, with these weight, performance, and packaging assumptions, it does work!



\* this chart produced with output data from NPSS used as input for FLOPs airframe sizing code

Reference

2002-01-3257

#### **Model Limitations**

- NPSS was not designed as an electrical systems software package
  - Retrofit has not been difficult, but further detail may be challenging
- NPSS primarily developed and maintained at NASA
  - Funding and personnel required for new components and algorithm/configuration changes
  - Validation of software also requires
- Electrical components have been developed in-house and validation of electrical <u>system</u> has not been completed due to lack of funding/personnel



2002-01-3257

2002 CISO Review

#### **Future Plans**


- Model improvement
  - Solid oxide fuel cell and reformer models are currently being incorporated in partnership with the National Fuel Cell Research Center
  - Electric motor and power electronics models are being improved in partnership with other NASA GRC offices
  - Possible sources for higher-fidelity electrical systems models are being investigated for tie-in with NPSS
- Model validation
  - NASA GRC is developing an electrical systems testbed for development and testing of entire electrical system for aerospace applications and model validation



2002-01-3257

#### **Potential Future Analyses**

- Full electric auxiliary power unit for airplanes with fuel cell as primary power source
- Electrical high-altitude, longendurance airplanes/airships
- On-board space electrical power sources
- Ground power applications such as distributed, hybrid fuel cell/gas turbine systems





2002-01-3257

2002 CISO Review



#### References

- 1. NPSS User's Guide and Reference, NASA Publication, 2002
- 2. ZeroCO<sub>2</sub> Final Summary Presentation, NASA Publication, September 2002
- 3. PowerPhase100.pdf, www.uqm.com/Technologies/products.html, UQM Technologies, Boulder, CO
- 4. FLOPs Manual, NASA Publication, 2002
- 5. Computer Program for Calculation of Complex Chemical Equilibrium Compositions and Applications, NASA RP 1311



2002-01-3257

#### **Contact Information**

- Electrical system modeling and related NASA programs
  - Josh Freeh, NASA GRC, (216) 433-5014
    - ► Joshua.E.Freeh@grc.nasa.gov
- NPSS software
  - Tom Lavelle, NASA GRC, (216) 977-7042
    - ► Thomas.M.Lavelle@grc.nasa.gov



2002-01-3257